



Truflex® V-Belts


Truflex belts feature superior length stability for minimal take-up requirements.

Markets/Applications

Suitable for all industrial light duty applications, usually using fractional horsepower (FHP) motors.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Sheaves


Light-Duty Sheaves-Bored-to-Size
Light-Duty Sheaves-Variable Pitch
Light-Duty Sheaves-Bushed

Notes

Truflex belts are offered in cross sections 2L (0), 3L (1), 4L (2), 5L (3).

Product No. Series 8400

0 or 2L Section



Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
0100	2L100	\$5.65	8400-0100	10.0	.02	1
0110	2L110	5.65	8400-0110	11.0	.02	1
0120	2L120	5.65	8400-0120	12.0	.02	1
0130	2L130	5.65	8400-0130	13.0	.03	1
0140	2L140	5.65	8400-0140	14.0	.03	1
0150	2L150	5.65	8400-0150	15.0	.03	1
0160	2L160	5.65	8400-0160	16.0	.03	1
0170	2L170	5.65	8400-0170	17.0	.03	1
0180	2L180	5.65	8400-0180	18.0	.03	1
0190	2L190	5.65	8400-0190	19.0	.03	1
0200	2L200	5.65	8400-0200	20.0	.04	1
0210	2L210	5.65	8400-0210	21.0	.04	1
0230	2L230	5.65	8400-0230	23.0	.04	1

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
0240	2L240	\$5.65	8400-0240	24.0	.04	1
0250	2L250	5.65	8400-0250	25.0	.04	1
0260	2L260	5.77	8400-0260	26.0	.04	1
0270	2L270	5.86	8400-0270	27.0	.04	1
0280	2L280	5.95	8400-0280	28.0	.05	1
0290	2L290	6.05	8400-0290	29.0	.05	1
0310	2L310	6.19	8400-0310	31.0	.05	1
0340	2L340	6.49	8400-0340	34.0	.06	1
0350	2L350	6.64	8400-0350	35.0	.06	1
0360	2L360	6.72	8400-0360	36.0	.06	1
0380	2L380	7.03	8400-0380	38.0	.06	1
0460	2L460	7.97	8400-0460	46.0	.07	1

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice






Truflex® Belts

Product No. Series 8400

1 or 3L Section



Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1110	3L110	\$5.65	8400-1110	11.0	.04	1
1120	3L120	5.65	8400-1120	12.0	.05	1
1130	3L130	5.65	8400-1130	13.0	.05	1
1140	3L140	5.65	8400-1140	14.0	.05	1
1150	3L150	5.65	8400-1150	15.0	.06	1
1160	3L160	5.65	8400-1160	16.0	.06	5
1170	3L170	5.65	8400-1170	17.0	.07	1
1180	3L180	5.65	8400-1180	18.0	.07	1
1190	3L190	5.65	8400-1190	19.0	.07	5
1200	3L200	5.65	8400-1200	20.0	.07	5
1210	3L210	5.65	8400-1210	21.0	.08	5
1220	3L220	5.65	8400-1220	22.0	.08	5
1230	3L230	5.65	8400-1230	23.0	.08	5
1240	3L240	5.65	8400-1240	24.0	.08	5
1245	3L245	5.65	8400-1245	24.5	.09	1
1250	3L250	5.65	8400-1250	25.0	.09	5
1255	3L255	5.77	8400-1255	25.5	.09	1
1260	3L260	5.77	8400-1260	26.0	.09	5
1265	3L265	5.86	8400-1265	26.5	.09	1
1270	3L270	5.86	8400-1270	27.0	.09	1
1275	3L275	5.95	8400-1275	27.5	.10	1
1280	3L280	5.95	8400-1280	28.0	.10	5
1285	3L285	6.05	8400-1285	28.5	.10	1
1290	3L290	6.05	8400-1290	29.0	.10	5
1293	3L293	6.16	8400-1293	29.3	.10	1
1300	3L300	6.16	8400-1300	30.0	.10	5
1310	3L310	6.19	8400-1310	31.0	.11	5
1320	3L320	6.28	8400-1320	32.0	.11	5
1330	3L330	6.40	8400-1330	33.0	.11	5
1340	3L340	6.49	8400-1340	34.0	.12	5
1345	3L345	6.64	8400-1345	34.5	.12	1
1350	3L350	6.64	8400-1350	35.0	.12	5
1360	3L360	6.72	8400-1360	36.0	.13	5
1370	3L370	6.87	8400-1370	37.0	.14	5
1380	3L380	7.03	8400-1380	38.0	.13	5
1390	3L390	7.17	8400-1390	39.0	.14	5

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1400	3L400	\$7.29	8400-1400	40.0	.14	5
1410	3L410	7.43	8400-1410	41.0	.15	1
1415	3L415	7.55	8400-1415	41.5	.15	1
1420	3L420	7.55	8400-1420	42.0	.15	1
1430	3L430	7.63	8400-1430	43.0	.16	1
1440	3L440	7.73	8400-1440	44.0	.16	1
1450	3L450	7.88	8400-1450	45.0	.16	1
1460	3L460	7.97	8400-1460	46.0	.17	1
1470	3L470	8.12	8400-1470	47.0	.17	1
1480	3L480	8.21	8400-1480	48.0	.17	1
1490	3L490	8.32	8400-1490	49.0	.18	1
1500	3L500	8.42	8400-1500	50.0	.18	1
1510	3L510	8.51	8400-1510	51.0	.18	1
1520	3L520	8.59	8400-1520	52.0	.18	1
1530	3L530	8.70	8400-1530	53.0	.19	1
1540	3L540	8.80	8400-1540	54.0	.19	1
1550	3L550	8.89	8400-1550	55.0	.19	1
1560	3L560	8.98	8400-1560	56.0	.19	5
1570	3L570	9.06	8400-1570	57.0	.20	5
1580	3L580	9.18	8400-1580	58.0	.20	1
1590	3L590	9.27	8400-1590	59.0	.20	1
1600	3L600	9.36	8400-1600	60.0	.21	1
1610	3L610	9.50	8400-1610	61.0	.21	1
1620	3L620	9.59	8400-1620	62.0	.21	1
1630	3L630	9.71	8400-1630	63.0	.22	1
1640	3L640	9.80	8400-1640	64.0	.22	1
1650	3L650	9.96	8400-1650	65.0	.22	1
1660	3L660	10.04	8400-1660	66.0	.23	1
1670	3L670	10.18	8400-1670	67.0	.23	1
1675	3L675	10.28	8400-1675	67.5	.23	1
1680	3L680	10.28	8400-1680	68.0	.23	1
1690	3L690	10.37	8400-1690	69.0	.23	1
1700	3L700	10.51	8400-1700	70.0	.23	1
1710	3L710	10.60	8400-1710	71.0	.23	1
1730	3L730	10.90	8400-1730	73.0	.24	1
1740	3L740	11.05	8400-1740	74.0	.26	1

LIGHT DUTY V-BELTS


Prices Subject To Change Without Notice





Truflex® Belts

Product No. Series 8400



2 or 4L Section

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2150	4L150	\$6.01	8400-2150	15.0	.08	1
2160	4L160	6.01	8400-2160	16.0	.09	1
2170	4L170	6.01	8400-2170	17.0	.10	1
2180	4L180	6.01	8400-2180	18.0	.10	1
2188	4L188	6.01	8400-2188	18.8	.11	1
2190	4L190	6.01	8400-2190	19.0	.11	5
2200	4L200	6.01	8400-2200	20.0	.11	5
2210	4L210	6.01	8400-2210	21.0	.11	5
2215	4L215	6.01	8400-2215	21.5	.12	1
2220	4L220	6.01	8400-2220	22.0	.12	5
2230	4L230	6.01	8400-2230	23.0	.13	5
2235	4L235	6.01	8400-2235	23.5	.13	1
2240	4L240	6.01	8400-2240	24.0	.13	5
2250	4L250	6.01	8400-2250	25.0	.14	5
2255	4L255	6.11	8400-2255	25.5	.14	1
2260	4L260	6.11	8400-2260	26.0	.14	5
2270	4L270	6.22	8400-2270	27.0	.15	5
2275	4L275	6.31	8400-2275	27.5	.15	1
2280	4L280	6.31	8400-2280	28.0	.15	5
2285	4L285	6.40	8400-2285	28.5	.16	1
2290	4L290	6.40	8400-2290	29.0	.16	5
2295	4L295	6.49	8400-2295	29.5	.17	1
2300	4L300	6.49	8400-2300	30.0	.17	5
2310	4L310	6.61	8400-2310	31.0	.17	5
2318	4L318	6.70	8400-2318	31.8	.18	1
2320	4L320	6.70	8400-2320	32.0	.18	5
2328	4L328	6.78	8400-2328	32.8	.18	1
2330	4L330	6.78	8400-2330	33.0	.18	5
2333	4L333	6.93	8400-2333	33.3	.19	1
2338	4L338	6.93	8400-2338	33.8	.19	1
2340	4L340	6.93	8400-2340	34.0	.18	5
2346	4L346	7.03	8400-2346	34.5	.19	1
2350	4L350	7.03	8400-2350	35.0	.19	5
2360	4L360	7.18	8400-2360	36.0	.20	5
2370	4L370	7.26	8400-2370	37.0	.20	5
2380	4L380	7.41	8400-2380	38.0	.21	5
2390	4L390	7.63	8400-2390	39.0	.21	5
2400	4L400	7.74	8400-2400	40.0	.23	5
2405	4L405	7.89	8400-2405	40.5	.24	1
2410	4L410	7.89	8400-2410	41.0	.23	5
2420	4L420	8.01	8400-2420	42.0	.24	5
2430	4L430	8.14	8400-2430	43.0	.24	5
2440	4L440	8.34	8400-2440	44.0	.25	5
2450	4L450	8.49	8400-2450	45.0	.25	5
2460	4L460	8.58	8400-2460	46.0	.26	5
2470	4L470	8.67	8400-2470	47.0	.26	5
2475	4L475	8.73	8400-2475	47.5	.27	1
2480	4L480	8.73	8400-2480	48.0	.27	5
2490	4L490	8.83	8400-2490	49.0	.27	5
2500	4L500	8.91	8400-2500	50.0	.28	5

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2510	4L510	\$9.04	8400-2510	51.0	.28	5
2520	4L520	9.12	8400-2520	52.0	.28	5
2530	4L530	9.21	8400-2530	53.0	.29	5
2540	4L540	9.29	8400-2540	54.0	.29	5
2550	4L550	9.42	8400-2550	55.0	.30	5
2560	4L560	9.54	8400-2560	56.0	.30	5
2570	4L570	9.66	8400-2570	57.0	.31	5
2580	4L580	9.75	8400-2580	58.0	.31	5
2590	4L590	9.84	8400-2590	59.0	.32	5
2600	4L600	9.98	8400-2600	60.0	.32	5
2610	4L610	10.07	8400-2610	61.0	.33	5
2620	4L620	10.19	8400-2620	62.0	.34	5
2630	4L630	10.32	8400-2630	63.0	.34	5
2640	4L640	10.44	8400-2640	64.0	.35	5
2650	4L650	10.58	8400-2650	65.0	.36	5
2660	4L660	10.67	8400-2660	66.0	.36	5
2670	4L670	10.77	8400-2670	67.0	.37	5
2680	4L680	10.91	8400-2680	68.0	.37	5
2690	4L690	11.07	8400-2690	69.0	.37	5
2700	4L700	11.15	8400-2700	70.0	.38	5
2710	4L710	11.39	8400-2710	71.0	.38	1
2720	4L720	11.63	8400-2720	72.0	.42	1
2730	4L730	11.72	8400-2730	73.0	.42	1
2740	4L740	11.78	8400-2740	74.0	.43	1
2750	4L750	11.87	8400-2750	75.0	.43	1
2760	4L760	11.98	8400-2760	76.0	.43	1
2770	4L770	12.10	8400-2770	77.0	.43	1
2780	4L780	12.31	8400-2780	78.0	.43	5
2790	4L790	12.50	8400-2790	79.0	.43	5
2800	4L800	12.71	8400-2800	80.0	.44	1
2810	4L810	12.89	8400-2810	81.0	.45	1
2820	4L820	13.09	8400-2820	82.0	.45	1
2830	4L830	13.27	8400-2830	83.0	.46	1
2840	4L840	13.48	8400-2840	84.0	.47	1
2850	4L850	13.66	8400-2850	85.0	.47	1
2860	4L860	13.87	8400-2860	86.0	.47	1
2870	4L870	14.05	8400-2870	87.0	.48	1
2880	4L880	14.26	8400-2880	88.0	.50	1
2890	4L890	14.44	8400-2890	89.0	.50	1
2900	4L900	14.65	8400-2900	90.0	.51	1
2910	4L910	14.82	8400-2910	91.0	.51	1
2920	4L920	15.03	8400-2920	92.0	.52	1
2930	4L930	15.22	8400-2930	93.0	.52	1
2940	4L940	15.36	8400-2940	94.0	.52	1
2950	4L950	15.52	8400-2950	95.0	.53	1
2960	4L960	15.70	8400-2960	96.0	.54	1
2970	4L970	15.84	8400-2970	97.0	.54	1
2980	4L980	15.99	8400-2980	98.0	.55	1
2990	4L990	16.20	8400-2990	99.0	.55	1
2999	4L1000	16.32	8400-2100	100.0	.56	1

LIGHT DUTY V-BELTS


Prices Subject To Change Without Notice





Truflex® Belts

Product No. Series 8400



3 or 5L Section

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3230	5L230	\$7.35	8400-3230	23.0	.21	1
3240	5L240	7.35	8400-3240	24.0	.22	1
3250	5L250	7.35	8400-3250	25.0	.22	1
3260	5L260	7.56	8400-3260	26.0	.23	1
3265	5L265	7.74	8400-3265	26.5	.24	1
3270	5L270	7.74	8400-3270	27.0	.24	1
3280	5L280	7.89	8400-3280	28.0	.26	1
3290	5L290	8.10	8400-3290	29.0	.26	5
3300	5L300	8.25	8400-3300	30.0	.27	1
3310	5L310	8.43	8400-3310	31.0	.28	1
3320	5L320	8.64	8400-3320	32.0	.30	5
3330	5L330	8.83	8400-3330	33.0	.30	1
3340	5L340	9.04	8400-3340	34.0	.31	5
3350	5L350	9.15	8400-3350	35.0	.32	5
3355	5L355	9.36	8400-3355	35.5	.32	1
3360	5L360	9.36	8400-3360	36.0	.33	5
3370	5L370	9.50	8400-3370	37.0	.34	5
3380	5L380	9.68	8400-3380	38.0	.35	5
3390	5L390	9.98	8400-3390	39.0	.35	1
3400	5L400	10.37	8400-3400	40.0	.36	5
3410	5L410	10.67	8400-3410	41.0	.38	5
3420	5L420	10.91	8400-3420	42.0	.38	5
3430	5L430	11.15	8400-3430	43.0	.39	5
3440	5L440	11.39	8400-3440	44.0	.40	5
3450	5L450	11.63	8400-3450	45.0	.41	5
3460	5L460	11.87	8400-3460	46.0	.42	5
3470	5L470	12.10	8400-3470	47.0	.43	5
3480	5L480	12.38	8400-3480	48.0	.43	5
3490	5L490	12.61	8400-3490	49.0	.44	5
3500	5L500	12.79	8400-3500	50.0	.45	5
3510	5L510	13.00	8400-3510	51.0	.47	5
3520	5L520	13.18	8400-3520	52.0	.47	5
3530	5L530	13.39	8400-3530	53.0	.47	5
3540	5L540	13.58	8400-3540	54.0	.48	1
3550	5L550	13.72	8400-3550	55.0	.49	1
3560	5L560	13.80	8400-3560	56.0	.50	1
3570	5L570	13.96	8400-3570	57.0	.50	1
3580	5L580	14.05	8400-3580	58.0	.51	1
3590	5L590	14.17	8400-3590	59.0	.52	1
3600	5L600	14.26	8400-3600	60.0	.53	1

Gates Part No.	Industry Part No.	Sugg. List Price	Product No. (Suffix is Gates Part No.)	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3610	5L610	\$14.34	8400-3610	61.0	.54	1
3620	5L620	14.44	8400-3620	62.0	.55	1
3630	5L630	14.53	8400-3630	63.0	.56	1
3640	5L640	14.74	8400-3640	64.0	.61	1
3650	5L650	14.91	8400-3650	65.0	.61	1
3660	5L660	15.12	8400-3660	66.0	.62	1
3670	5L670	15.31	8400-3670	67.0	.63	1
3680	5L680	15.52	8400-3680	68.0	.63	5
3690	5L690	15.70	8400-3690	69.0	.63	5
3700	5L700	15.84	8400-3700	70.0	.63	5
3710	5L710	15.99	8400-3710	71.0	.66	1
3720	5L720	16.20	8400-3720	72.0	.67	1
3730	5L730	16.44	8400-3730	73.0	.68	1
3740	5L740	16.62	8400-3740	74.0	.68	1
3750	5L750	16.83	8400-3750	75.0	.68	1
3760	5L760	17.01	8400-3760	76.0	.68	1
3770	5L770	17.25	8400-3770	77.0	.69	1
3780	5L780	17.46	8400-3780	78.0	.69	1
3790	5L790	17.69	8400-3790	79.0	.72	1
3800	5L800	17.94	8400-3800	80.0	.72	1
3810	5L810	18.17	8400-3810	81.0	.72	1
3820	5L820	18.42	8400-3820	82.0	.73	1
3830	5L830	18.66	8400-3830	83.0	.73	1
3840	5L840	18.89	8400-3840	84.0	.76	1
3850	5L850	19.40	8400-3850	85.0	.77	1
3860	5L860	19.55	8400-3860	86.0	.78	1
3870	5L870	19.73	8400-3870	87.0	.79	1
3880	5L880	19.87	8400-3880	88.0	.80	1
3890	5L890	20.07	8400-3890	89.0	.81	1
3900	5L900	20.27	8400-3900	90.0	.81	1
3910	5L910	20.45	8400-3910	91.0	.82	1
3920	5L920	20.66	8400-3920	92.0	.83	1
3930	5L930	20.83	8400-3930	93.0	.83	1
3940	5L940	21.14	8400-3940	94.0	.84	1
3950	5L950	21.47	8400-3950	95.0	.85	1
3960	5L960	21.82	8400-3960	96.0	.85	1
3970	5L970	22.06	8400-3970	97.0	.86	1
3980	5L980	22.30	8400-3980	98.0	.87	1
3990	5L990	22.54	8400-3990	99.0	.88	1
3999	5L1000	22.77	8400-3100	100.0	.89	1

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





PowerRated® V-Belts

These green belts are an alternative to conventional light-duty belts, with high performance construction delivering more horsepower, less stretch and providing longer service life.

Markets/Applications

PowerRated belts are suitable for outdoor power equipment, appliances and industrial applications where FHP belts are typically used.

Features/Advantages


- **Bareback construction** for smooth clutching on loaded, back-side-idler driven equipment.
- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability.
- Meets RMA **oil and heat** resistant standards.

Recommended Sheaves

Light-Duty Sheaves-Bored-to-Size
Light-Duty Sheaves-Variable Pitch
Light-Duty Sheaves-Bushed


Notes

PowerRated belts do not meet RMA requirements for static conductivity.



Industry Designation	Gates Truflex® Section	PowerRated Section
3L	1	67 (3/8" T.W.)
4L	2	68 (1/2" T.W.)
5L	3	69 (21/32" T.W.)

Product No. Series 8423



1 or 3L Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6716	\$10.65	8423-6716	16.0	.07	1
6717	10.65	8423-6717	17.0	.07	1
6718	10.65	8423-6718	18.0	.07	1
6719	10.65	8423-6719	19.0	.08	1
6720	10.65	8423-6720	20.0	.08	1
6721	10.65	8423-6721	21.0	.08	1
6722	10.65	8423-6722	22.0	.08	1
6723	10.65	8423-6723	23.0	.09	1
6724	10.65	8423-6724	24.0	.09	1
6725	10.65	8423-6725	25.0	.09	1
6726	10.84	8423-6726	26.0	.10	1
6727	11.01	8423-6727	27.0	.10	1
6728	11.20	8423-6728	28.0	.11	1
6729	11.38	8423-6729	29.0	.11	1
6730	11.57	8423-6730	30.0	.12	5
6731	11.66	8423-6731	31.0	.12	5
6732	11.82	8423-6732	32.0	.12	5
6733	12.01	8423-6733	33.0	.13	5
6734	12.19	8423-6734	34.0	.13	5
6735	12.46	8423-6735	35.0	.13	5
6736	12.64	8423-6736	36.0	.14	5
6737	12.93	8423-6737	37.0	.15	5
6738	13.20	8423-6738	38.0	.15	1
6739	13.45	8423-6739	39.0	.15	1
6740	13.74	8423-6740	40.0	.15	1
6741	14.00	8423-6741	41.0	.16	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6742	\$14.19	8423-6742	42.0	.17	1
6743	14.36	8423-6743	43.0	.17	1
6744	14.58	8423-6744	44.0	.17	1
6745	14.81	8423-6745	45.0	.18	1
6746	15.10	8423-6746	46.0	.18	1
6747	15.29	8423-6747	47.0	.18	1
6748	15.47	8423-6748	48.0	.19	1
6749	15.66	8423-6749	49.0	.19	1
6750	15.80	8423-6750	50.0	.19	1
6751	15.94	8423-6751	51.0	.20	1
6752	16.16	8423-6752	52.0	.20	1
6753	16.39	8423-6753	53.0	.20	1
6754	16.58	8423-6754	54.0	.21	1
6755	16.78	8423-6755	55.0	.21	1
6756	17.01	8423-6756	56.0	.21	1
6757	17.22	8423-6757	57.0	.22	1
6758	17.42	8423-6758	58.0	.22	1
6759	17.58	8423-6759	59.0	.22	1
6760	17.75	8423-6760	60.0	.23	1
6761	17.89	8423-6761	61.0	.23	1
6762	18.06	8423-6762	62.0	.23	1
6763	18.20	8423-6763	63.0	.24	1
6764	18.32	8423-6764	64.0	.24	1
6765	18.51	8423-6765	65.0	.24	1
6766	18.70	8423-6766	66.0	.25	1
6774	19.99	8423-6774	74.0	.29	1


LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice



PowerRated® V-Belts

Product No. Series 8423 (continued)



2 or 4L Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6817	\$11.20	8423-6817	17.0	.11	1
6818	11.20	8423-6818	18.0	.11	1
6819	11.20	8423-6819	19.0	.12	1
6820	11.20	8423-6820	20.0	.12	1
6821	11.20	8423-6821	21.0	.12	5
6822	11.20	8423-6822	22.0	.13	5
6823	11.20	8423-6823	23.0	.14	5
6824	11.20	8423-6824	24.0	.14	5
6825	11.20	8423-6825	25.0	.15	5
6826	11.38	8423-6826	26.0	.16	5
6827	11.57	8423-6827	27.0	.16	5
6828	11.75	8423-6828	28.0	.17	5
6829	11.94	8423-6829	29.0	.18	5
6830	12.09	8423-6830	30.0	.18	5
6831	12.27	8423-6831	31.0	.19	5
6832	12.46	8423-6832	32.0	.19	5
6833	12.64	8423-6833	33.0	.20	5
6834	12.93	8423-6834	34.0	.21	5
6835	13.08	8423-6835	35.0	.22	5
6836	13.38	8423-6836	36.0	.22	5
6837	13.57	8423-6837	37.0	.23	5
6838	13.82	8423-6838	38.0	.23	5
6839	14.19	8423-6839	39.0	.24	5
6840	14.44	8423-6840	40.0	.25	5
6841	14.73	8423-6841	41.0	.26	5
6842	14.92	8423-6842	42.0	.26	5
6843	15.17	8423-6843	43.0	.27	5
6844	15.54	8423-6844	44.0	.27	5
6845	15.80	8423-6845	45.0	.28	5
6846	15.98	8423-6846	46.0	.29	5
6847	16.17	8423-6847	47.0	.29	5
6848	16.28	8423-6848	48.0	.30	5
6849	16.42	8423-6849	49.0	.30	5
6850	16.60	8423-6850	50.0	.31	5
6851	16.79	8423-6851	51.0	.33	5
6852	16.97	8423-6852	52.0	.32	5
6853	17.16	8423-6853	53.0	.32	5
6854	17.34	8423-6854	54.0	.33	5
6855	17.52	8423-6855	55.0	.33	5
6856	17.78	8423-6856	56.0	.34	5
6857	17.97	8423-6857	57.0	.34	5
6858	18.14	8423-6858	58.0	.35	5
6859	18.33	8423-6859	59.0	.36	5
6860	18.59	8423-6860	60.0	.36	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6861	\$18.77	8423-6861	61.0	.37	5
6862	18.95	8423-6862	62.0	.38	5
6863	19.25	8423-6863	63.0	.39	5
6864	19.44	8423-6864	64.0	.39	5
6865	19.69	8423-6865	65.0	.40	5
6866	19.88	8423-6866	66.0	.40	5
6867	20.06	8423-6867	67.0	.41	5
6868	20.31	8423-6868	68.0	.41	5
6869	20.61	8423-6869	69.0	.42	5
6870	20.76	8423-6870	70.0	.44	5
6871	21.23	8423-6871	71.0	.44	5
6872	21.68	8423-6872	72.0	.45	5
6873	21.86	8423-6873	73.0	.45	5
6874	21.93	8423-6874	74.0	.46	5
6875	22.12	8423-6875	75.0	.46	5
6876	22.30	8423-6876	76.0	.47	5
6877	22.60	8423-6877	77.0	.49	10
6878	22.92	8423-6878	78.0	.49	5
6879	23.29	8423-6879	79.0	.50	5
6880	23.66	8423-6880	80.0	.50	5
6881	24.02	8423-6881	81.0	.50	5
6882	24.39	8423-6882	82.0	.51	5
6883	24.76	8423-6883	83.0	.51	5
6884	25.13	8423-6884	84.0	.52	5
6885	25.46	8423-6885	85.0	.52	5
6886	25.83	8423-6886	86.0	.54	5
6887	26.20	8423-6887	87.0	.55	5
6888	26.57	8423-6888	88.0	.55	5
6889	26.93	8423-6889	89.0	.56	5
6890	27.27	8423-6890	90.0	.57	5
6891	27.63	8423-6891	91.0	.57	5
6892	27.96	8423-6892	92.0	.58	5
6893	28.36	8423-6893	93.0	.58	5
6894	28.62	8423-6894	94.0	.59	5
6895	28.91	8423-6895	95.0	.59	5
6896	29.24	8423-6896	96.0	.60	1
6897	29.55	8423-6897	97.0	.61	1
6898	29.94	8423-6898	98.0	.61	1
6899	30.17	8423-6899	99.0	.62	5
68100	30.47	8423-8100	100.0	.65	1
68105	31.35	8423-8105	105.0	.68	1
68107	32.04	8423-8107	107.0	.69	1
68117	35.46	8423-8117	117.0	.77	1

LIGHT DUTY V-BELTS


Prices Subject To Change Without Notice





PowerRated® V-Belts

Product No. Series 8423 (continued)



3 or 5L Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6923	\$13.10	8423-6923	23.0	.22	1
6924	13.46	8423-6924	24.0	.23	1
6925	13.74	8423-6925	25.0	.24	1
6926	14.10	8423-6926	26.0	.25	1
6927	14.44	8423-6927	27.0	.26	1
6928	14.76	8423-6928	28.0	.27	1
6929	15.10	8423-6929	29.0	.28	5
6930	15.36	8423-6930	30.0	.29	1
6931	15.73	8423-6931	31.0	.30	1
6932	16.10	8423-6932	32.0	.32	1
6933	16.42	8423-6933	33.0	.33	1
6934	16.79	8423-6934	34.0	.34	1
6935	17.08	8423-6935	35.0	.34	5
6936	17.41	8423-6936	36.0	.35	1
6937	17.70	8423-6937	37.0	.36	1
6938	18.07	8423-6938	38.0	.37	5
6939	18.59	8423-6939	39.0	.38	1
6940	19.32	8423-6940	40.0	.39	5
6941	19.88	8423-6941	41.0	.41	1
6942	20.31	8423-6942	42.0	.41	1
6943	20.76	8423-6943	43.0	.42	5
6944	21.23	8423-6944	44.0	.43	5
6945	21.68	8423-6945	45.0	.44	1
6946	22.12	8423-6946	46.0	.45	1
6947	22.60	8423-6947	47.0	.46	1
6948	23.04	8423-6948	48.0	.47	1
6949	23.48	8423-6949	49.0	.48	1
6950	23.85	8423-6950	50.0	.49	5
6951	24.21	8423-6951	51.0	.51	1
6952	24.58	8423-6952	52.0	.51	5
6953	24.95	8423-6953	53.0	.51	1
6954	25.27	8423-6954	54.0	.52	1
6955	25.57	8423-6955	55.0	.53	1
6956	25.76	8423-6956	56.0	.54	1
6957	26.01	8423-6957	57.0	.55	1
6958	26.20	8423-6958	58.0	.56	1
6959	26.38	8423-6959	59.0	.57	1
6960	26.57	8423-6960	60.0	.57	1
6961	26.74	8423-6961	61.0	.58	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6962	\$26.93	8423-6962	62.0	.60	1
6963	27.11	8423-6963	63.0	.61	1
6964	27.44	8423-6964	64.0	.62	5
6965	27.80	8423-6965	65.0	.63	1
6966	28.17	8423-6966	66.0	.64	1
6967	28.54	8423-6967	67.0	.65	1
6968	28.91	8423-6968	68.0	.66	5
6969	29.27	8423-6969	69.0	.67	5
6970	29.55	8423-6970	70.0	.69	5
6971	29.80	8423-6971	71.0	.70	1
6972	30.17	8423-6972	72.0	.70	1
6973	30.61	8423-6973	73.0	.72	1
6974	30.98	8423-6974	74.0	.72	1
6975	31.34	8423-6975	75.0	.73	1
6976	31.71	8423-6976	76.0	.74	1
6977	32.11	8423-6977	77.0	.75	1
6978	32.52	8423-6978	78.0	.76	1
6979	32.95	8423-6979	79.0	.79	1
6980	33.43	8423-6980	80.0	.79	1
6981	33.87	8423-6981	81.0	.80	1
6982	34.31	8423-6982	82.0	.81	5
6983	34.83	8423-6983	83.0	.82	1
6984	35.23	8423-6984	84.0	.83	1
6985	35.64	8423-6985	85.0	.85	1
6986	36.08	8423-6986	86.0	.86	1
6987	36.48	8423-6987	87.0	.87	1
6988	36.81	8423-6988	88.0	.87	1
6989	37.30	8423-6989	89.0	.88	1
6990	37.76	8423-6990	90.0	.89	1
6991	37.87	8423-6991	91.0	.90	1
6992	38.10	8423-6992	92.0	.90	1
6993	38.43	8423-6993	93.0	.91	1
6994	38.98	8423-6994	94.0	.93	1
6995	39.57	8423-6995	95.0	.94	1
6996	40.23	8423-6996	96.0	.95	1
6997	40.68	8423-6997	97.0	.96	1
6998	41.55	8423-6998	98.0	.97	1
6999	41.99	8423-6999	99.0	.96	1
69100	42.42	8423-9100	100.0	.98	1

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





BladeRunner® Belts


BladeRunner belts are engineered and built to exactly match the composition, construction and fit of the most popular lawn and garden brand names.

Markets/Applications

BladeRunner belts are specifically designed for use on lawn and garden equipment.

Features/Advantages

- Exact OEM fit and construction means more value and longer life.
- Built to withstand the rigorous start and stop operation of lawn and garden equipment.
- **Aramid cord construction** is utilized in many cases, providing longer service life during frequent and severe shock loads.



Part No.	Suggested List Price	Product No.	Effective Length (in.)	Top Width (in.)	Belt Type
6400BR	\$20.38	9200-56400	86 1/2	9/16	Wrapped
6401BR	25.48	9200-56401	89 3/4	9/16	Wrapped
6402BR	25.01	8580-56402	74 3/4	21/32	Wrapped
6403BR	22.66	8580-56403	69 3/4	21/32	Wrapped
6405BR	16.27	8580-56405	43 1/2	21/32	Wrapped
6406BR	29.47	8580-56406	60 3/4	21/32	Wrapped
6407BR	24.78	9238-56407	91 1/8	17/32	Wrapped
6408BR	28.99	8580-56408	78 3/4	21/32	Wrapped
6409BR	43.72	9240-56409	122 1/4	1/2	Double-V
6410BR	13.37	8580-56410	36 3/8	3/8	Raw Edge
6411BR	9.96	8580-56411	30 1/2	3/8	Wrapped
6412BR	23.41	9200-56412	84 7/8	9/16	Wrapped
6413BR	19.65	8075-13313	32 1/2	5/16	60° M Section
6414BR	27.97	8580-56414	78 1/2	1/2	Wrapped
6415BR	26.96	8580-56415	82 1/2	1/2	Wrapped
6416BR	40.28	8580-56416	100 3/4	21/32	Wrapped
6417BR	27.44	8580-56417	76 1/2	1/2	Wrapped
6418BR	28.83	9226-56418	88 3/4	9/16	Wrapped
6419BR	22.83	8580-56419	55 1/8	7/8	Wrapped
6421BR	30.69	8580-56421	85 3/4	21/32	Wrapped
6422BR	17.78	8580-56422	46 3/4	1/2	Wrapped
6423BR	18.76	9212-46423	45 1/2	21/32	Cogged
6424BR	20.61	8580-56424	74 1/2	1/2	Wrapped
6425BR	10.06	8580-56425	41	1/2	Wrapped
6426BR	12.16	8580-56426	33	3/8	Wrapped
6427BR	25.48	8580-56427	87 3/4	21/32	Wrapped
6428BR	24.45	8580-56428	105 5/8	1/2	Wrapped
6429BR	19.15	9212-46429	44 5/8	21/32	Cogged
6431BR	35.84	8580-56431	89 3/4	1/2	Wrapped
6432BR	29.97	8580-56432	95 3/4	1/2	Wrapped
6433BR	26.77	9213-46433	36 1/2	3/8	Cogged
6434BR	23.04	9238-56434	82 3/4	17/32	Wrapped
6435BR	17.81	9213-46435	26 1/2	3/8	Cogged
6436BR	43.87	9286-46436	55 1/2	1 1/4	Banded
6437BR	33.89	9286-46437	44 1/8	1 1/4	Banded
6438BR	19.59	8580-56438	97 1/2	1/2	Wrapped
6439BR	19.71	8580-56439	47 1/2	21/32	Wrapped
6440BR	38.70	9286-46440	50 7/8	1 1/4	Banded
6441BR	19.15	9212-46441	44 3/8	21/32	Cogged
6442BR	54.06	9286-46442	50	1 1/4	Banded

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





BladeRunner® Belts

Part No.	Suggested List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6443BR	\$46.96	8580-56443	83 ³ / ₄	¹ / ₂	Wrapped
6444BR	36.36	8580-56444	83 ³ / ₄	¹ / ₂	Wrapped
6445BR	14.28	8580-56445	79 ³ / ₄	¹ / ₂	Wrapped
6446BR	21.15	9200-56446	52 ¹ / ₂	²¹ / ₃₂	Wrapped
6447BR	14.94	8580-56447	52 ¹ / ₂	²¹ / ₃₂	Wrapped
6448BR	19.34	8580-56448	67 ³ / ₄	¹ / ₂	Wrapped
6449BR	12.58	8580-56449	55 ¹ / ₂	¹ / ₂	Wrapped
6450BR	26.83	8580-56450	88 ³ / ₄	¹ / ₂	Wrapped
6451BR	18.51	8580-56451	62 ³ / ₄	¹ / ₂	Wrapped
6452BR	15.86	8580-56452	95 ¹ / ₂	¹ / ₂	Wrapped
6453BR	11.31	8580-56453	30 ³ / ₄	¹ / ₂	Wrapped
6454BR	20.55	8580-56454	82 ³ / ₄	²¹ / ₃₂	Wrapped
6455BR	13.57	9240-56455	70 ³ / ₈	¹ / ₂	Double-V
6456BR	37.40	9240-56456	107 ¹ / ₂	¹ / ₂	Double-V
6457BR	26.17	8580-56457	92 ³ / ₄	¹ / ₂	Wrapped
6458BR	26.13	9238-56458	78 ⁷ / ₈	¹⁷ / ₃₂	Wrapped
6459BR	22.06	8580-56459	88 ³ / ₄	¹ / ₂	Wrapped
6460BR	11.35	8580-56460	32 ³ / ₄	³ / ₈	Wrapped
² 6461BR	37.44	8580-56461	95 ³ / ₄	¹ / ₂	Wrapped
6462BR	34.95	8580-56462	84 ³ / ₄	¹ / ₂	Wrapped
6463BR	26.83	9238-56463	88 ⁷ / ₈	¹⁷ / ₃₂	Wrapped
6464BR	23.22	8580-56464	64 ³ / ₄	²¹ / ₃₂	Wrapped
6466BR	39.57	9286-46466	45	1 ¹ / ₄	Banded
6467BR	21.91	8580-56467	83 ³ / ₄	²¹ / ₃₂	Wrapped
6468BR	9.03	8580-56468	31 ³ / ₄	³ / ₈	Wrapped
6469BR	8.76	8580-56469	31 ¹ / ₂	³ / ₈	Wrapped
6470BR	38.70	9286-46470	50 ³ / ₄	1 ¹ / ₄	Banded
6471BR	17.85	9240-56471	73 ¹ / ₄	¹ / ₂	Double-V
6472BR	19.15	9212-46472	44 ¹ / ₄	²¹ / ₃₂	Cogged
6473BR	28.45	8580-56473	22 ¹ / ₄	¹ / ₂	Wrapped
6474BR	20.67	8580-56474	89 ¹ / ₂	¹ / ₂	Wrapped
6475BR	15.15	8580-56475	47 ¹ / ₂	¹ / ₂	Wrapped
6477BR	26.23	8580-56477	99 ¹ / ₂	¹ / ₂	Wrapped
6478BR	20.07	8580-56478	70 ¹ / ₂	¹ / ₂	Wrapped
6479BR	34.47	8580-56479	89 ³ / ₄	²¹ / ₃₂	Wrapped
6480BR	32.46	8580-56480	101 ⁷ / ₈	²¹ / ₃₂	Wrapped
6481BR	34.30	9224-66481	120 ¹ / ₈	¹⁷ / ₃₂	Wrapped
6482BR	29.34	9227-56482	68 ³ / ₄	²¹ / ₃₂	Wrapped
6483BR	16.91	8580-56483	57 ¹ / ₂	¹ / ₂	Wrapped
6484BR	40.18	9227-56484	126 ¹ / ₂	¹⁷ / ₃₂	Wrapped
6485BR	41.98	9226-56485	133 ³ / ₈	²¹ / ₃₂	Wrapped
6486BR	41.98	9226-56486	127 ⁵ / ₈	¹⁷ / ₃₂	Wrapped
6487BR	20.92	9212-46487	49 ¹ / ₂	²¹ / ₃₂	Cogged
6488BR	17.45	8580-56488	69 ³ / ₄	²¹ / ₃₂	Wrapped
6489BR	29.92	8580-56489	93 ³ / ₄	¹ / ₂	Wrapped
6490BR	22.47	8580-56490	90 ¹ / ₂	¹ / ₂	Wrapped
6491BR	13.30	8580-56491	53 ¹ / ₂	²¹ / ₃₂	Wrapped
6492BR	51.15	8580-56492	109 ⁵ / ₈	²¹ / ₃₂	Wrapped
6494BR	17.85	8580-56494	35 ¹ / ₂	²¹ / ₃₂	Wrapped
6495BR	16.58	8580-56495	56 ³ / ₄	¹ / ₂	Wrapped
6496BR	30.11	8580-56496	91 ³ / ₄	²¹ / ₃₂	Wrapped
6497BR	33.00	8580-56497	83 ³ / ₄	²¹ / ₃₂	Wrapped
6498BR	17.45	8580-56498	53 ³ / ₄	¹ / ₂	Wrapped
6499BR	17.62	8580-56499	52 ³ / ₄	¹ / ₂	Wrapped
6500BR	9.84	8580-56500	40 ³ / ₄	³ / ₈	Wrapped
6501BR	16.31	8580-56501	74 ¹ / ₂	¹ / ₂	Wrapped
6502BR	37.29	8580-56502	67 ³ / ₄	²¹ / ₃₂	Wrapped
6503BR	24.11	8580-56503	86 ¹ / ₂	¹ / ₂	Wrapped
6504BR	22.97	8580-56504	84 ¹ / ₂	¹ / ₂	Wrapped
6506BR	29.92	8580-56506	81 ³ / ₄	²¹ / ₃₂	Wrapped

²Available until stock depleted.

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





BladeRunner® Belts

Part No.	Suggested List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6507BR	\$24.13	8580-56507	75 ³ / ₄	²¹ / ₃₂	Wrapped
6509BR	15.05	8580-56509	40 ¹ / ₂	³ / ₈	Wrapped
6510BR	23.41	8580-56510	54 ³ / ₄	²¹ / ₃₂	Wrapped
6511BR	17.23	8580-56511	38 ¹ / ₂	²¹ / ₃₂	Wrapped
6513BR	19.28	8580-56513	81 ¹ / ₂	¹ / ₂	Wrapped
6514BR	17.86	8510-16514	41 ¹ / ₈	¹⁹ / ₃₂	Wrapped
6515BR	31.65	8580-56515	81 ¹ / ₂	¹⁹ / ₃₂	Raw Edge
6516BR	25.59	8580-56516	83 ¹ / ₂	¹⁹ / ₃₂	Raw Edge
6517BR	13.51	8580-56517	35 ¹ / ₂	¹ / ₂	Wrapped
6518BR	22.00	8580-56518	85 ³ / ₄	¹ / ₂	Wrapped
6519BR	19.05	8580-56519	78 ¹ / ₂	¹ / ₂	Wrapped
6520BR	15.44	8580-56520	71 ³ / ₄	²¹ / ₃₂	Wrapped
6521BR	27.50	8580-56521	93 ¹ / ₂	¹ / ₂	Wrapped
6523BR	40.76	8580-56523	80 ³ / ₄	¹ / ₂	Wrapped
6524BR	25.61	8580-56524	91 ¹ / ₂	¹ / ₂	Wrapped
6525BR	27.60	8580-56525	71 ³ / ₄	¹ / ₂	Wrapped
6526BR	25.38	8580-56526	88 ³ / ₄	¹ / ₂	Wrapped
6527BR	27.99	8580-56527	68 ³ / ₄	²¹ / ₃₂	Wrapped
6528BR	12.55	9227-56528	36 ¹ / ₂	¹ / ₂	Raw Edge
6529BR	12.06	8580-56529	46 ⁵ / ₈	¹ / ₂	Raw Edge
6530BR	20.75	8580-56530	63 ⁵ / ₈	¹ / ₂	Raw Edge
6531BR	39.08	8580-56531	88 ³ / ₄	²¹ / ₃₂	Wrapped
6532BR	16.21	8580-56532	87 ¹ / ₂	¹ / ₂	Wrapped
6533BR	18.34	8580-56533	98 ¹ / ₂	¹ / ₂	Wrapped
6534BR	5.69	8227-56534	24 ³ / ₄	³ / ₈	Wrapped
6535BR	22.18	8580-56535	69 ³ / ₄	²¹ / ₃₂	Wrapped
6536BR	25.09	8580-56536	85 ³ / ₄	²¹ / ₃₂	Wrapped
6537BR	31.21	8580-56537	86 ³ / ₄	²¹ / ₃₂	Wrapped
6538BR	22.18	9286-46538	32 ³ / ₄	1 ¹ / ₄	Banded
6539BR	42.94	9286-46539	42 ¹ / ₈	1 ¹ / ₄	Banded
6540BR	10.62	8580-56540	22 ³ / ₄	¹ / ₂	Wrapped
6541BR	34.72	9240-56541	86 ³ / ₄	¹ / ₂	Double-V
6542BR	22.68	8129-56542	65 ³ / ₄	¹⁹ / ₃₂	Cogged
6543BR	16.41	8170-56543	58 ¹ / ₂	³ / ₄	Ribbed
6544BR	8.01	9012-56544	24 ³ / ₄	¹ / ₄	Cogged
6545BR	12.06	9200-56545	37 ³ / ₄	¹⁷ / ₃₂	Wrapped
6546BR	11.19	8580-56546	24 ³ / ₄	¹ / ₂	Raw Edge
6547BR	27.99	8580-56547	52 ³ / ₈	²¹ / ₃₂	Cogged
6548BR	19.78	8580-56548	43 ¹ / ₈	²¹ / ₃₂	Cogged
6549BR	28.95	8580-56549	46 ¹ / ₈	²¹ / ₃₂	Cogged
6550BR	20.27	8580-56550	44 ¹ / ₂	²¹ / ₃₂	Cogged
6551BR	34.74	8580-56551	82 ³ / ₄	¹ / ₂	Wrapped
6552BR	23.16	9227-56552	52 ¹ / ₄	¹ / ₂	Raw Edge
6553BR	16.41	9227-56553	50 ³ / ₄	¹ / ₂	Raw Edge
6554BR	14.48	8580-56554	35 ³ / ₄	²¹ / ₃₂	Wrapped
6555BR	27.02	8580-56555	77 ¹ / ₂	²¹ / ₃₂	Wrapped
6556BR	15.44	8580-56556	41 ¹ / ₂	²¹ / ₃₂	Wrapped
6557BR	13.51	8580-56557	39 ¹ / ₄	³ / ₈	Wrapped
6558BR	30.88	8580-56558	81 ³ / ₄	¹ / ₂	Wrapped
6559BR	17.76	8580-56559	65 ³ / ₄	¹ / ₈	Wrapped
6560BR	28.18	8580-56560	85 ³ / ₄	²¹ / ₃₂	Wrapped
6561BR	24.32	8580-56561	83 ³ / ₄	²¹ / ₃₂	Wrapped
6562BR	15.44	8580-56562	37 ³ / ₄	¹ / ₂	Wrapped
6563BR	21.71	8580-56563	50 ³ / ₄	²¹ / ₃₂	Wrapped
6564BR	23.55	8580-56564	55 ³ / ₄	²¹ / ₃₂	Wrapped
6565BR	12.45	8580-56565	38 ³ / ₄	¹ / ₂	Wrapped
6566BR	51.53	9226-56566	140 ¹ / ₄	²¹ / ₃₂	Wrapped
6567BR	54.04	9226-56567	146 ¹ / ₄	²¹ / ₃₂	Wrapped
6568BR	41.98	9226-56568	129	²¹ / ₃₂	Wrapped
6569BR	63.21	9226-56569	169 ³ / ₈	²¹ / ₃₂	Wrapped

*Available until stock depleted.

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





BladeRunner® Belts

Part No.	Suggested List Price	Product No.	Effective Length (in.)	Top Width (in.)	Belt Type
6570BR	\$60.31	9240-56570	146 ⁵ / ₈	¹ / ₂	Double-V
6571BR	44.39	9240-56571	103 ³ / ₄	¹ / ₂	Double-V
6572BR	27.50	8580-56572	78 ³ / ₄	¹ / ₂	Wrapped
6573BR	24.13	8580-56573	82 ³ / ₄	²¹ / ₃₂	Wrapped
6574BR	56.94	9227-56574	121 ¹ / ₄	²¹ / ₃₂	Wrapped
6575BR	35.13	8580-56575	97 ³ / ₄	²¹ / ₃₂	Wrapped
6576BR	25.48	8580-56576	51 ³ / ₄	²¹ / ₃₂	Wrapped
6577BR	37.25	9238-56577	134 ³ / ₈	¹ / ₂	Wrapped
6578BR	27.02	9238-56578	83 ⁷ / ₈	¹ / ₂	Wrapped
6579BR	42.65	9240-56579	107 ¹ / ₄	¹ / ₂	Double-V
6580BR	9.25	8552-56580	57 ¹ / ₈	¹¹ / ₁₆	Ribbed
6581BR	17.85	9227-56581	61	¹ / ₂	Raw Edge
6582BR	21.23	8580-56582	91 ¹ / ₈	¹ / ₂	Raw Edge
6583BR	14.48	8580-56583	51 ¹ / ₈	¹ / ₂	Raw Edge
6584BR	33.78	8580-56584	105 ¹ / ₄	²¹ / ₃₂	Raw Edge
6585BR	15.05	8580-56585	45 ³ / ₈	²¹ / ₃₂	Raw Edge
6586BR	42.46	9291-46586	50 ¹ / ₈	1 ¹ / ₄	Raw Edge
6587BR	11.19	8580-56587	27 ⁵ / ₈	³ / ₈	Raw Edge
6588BR	9.17	8580-56588	34 ⁵ / ₈	³ / ₈	Raw Edge
6589BR	47.29	9227-56589	123 ⁵ / ₈	²¹ / ₃₂	Wrapped
6590BR	30.98	8580-56590	54	²¹ / ₃₂	Raw Edge
6591BR	36.57	8580-56591	87 ³ / ₄	²¹ / ₃₂	Wrapped
6592BR	32.13	8580-56592	81 ³ / ₄	²¹ / ₃₂	Wrapped
6593BR	25.09	9291-46593	56 ⁹ / ₃₂	1 ⁷ / ₃₂	Banded
6595BR	10.62	8580-56595	32 ¹ / ₂	³ / ₈	Cogged
6596BR	57.42	9227-56596	136 ⁵ / ₈	²¹ / ₃₂	Wrapped
6597BR	71.41	9227-56597	153 ⁵ / ₈	²¹ / ₃₂	Wrapped
6598BR	63.59	9227-56598	158 ¹ / ₄	²¹ / ₃₂	Wrapped
6599BR	51.05	9227-56599	142 ¹ / ₄	²¹ / ₃₂	Wrapped
6603BR	22.36	8510-16603	77	¹ / ₂	Wrapped
6604BR	28.85	8580-56604	117 ⁵ / ₈	¹ / ₂	Wrapped
6605BR	17.37	8580-56605	45 ¹ / ₂	²¹ / ₃₂	Wrapped
6606BR	23.35	8580-56606	90 ¹ / ₂	²¹ / ₃₂	Wrapped
6608BR	8.49	8580-56608	20 ¹ / ₂	³ / ₈	Wrapped
6609BR	13.79	8580-56609	28 ³ / ₁₆	³ / ₈	Raw Edge
6610BR	12.83	8580-56610	29 ¹ / ₂	³ / ₈	Raw Edge
6611BR	19.00	8580-56611	31 ¹ / ₂	¹ / ₂	Raw Edge
6612BR	10.90	8580-56612	31 ⁵ / ₈	³ / ₈	Raw Edge
6613BR	7.91	8580-56613	30	³ / ₈	Raw Edge
6614BR	41.44	9220-56614	89 ¹ / ₄	²¹ / ₃₂	Wrapped
6615BR	26.33	9220-56615	112 ³ / ₄	²¹ / ₃₂	Wrapped
6616BR	57.20	9227-56616	142 ¹ / ₈	²¹ / ₃₂	Wrapped
6617BR	12.39	8580-56617	36 ⁷ / ₈	²¹ / ₃₂	Wrapped
6618BR	20.62	8580-56618	31 ¹⁵ / ₁₆	²¹ / ₃₂	Wrapped
6619BR	12.54	9220-56619	36 ¹ / ₄	³ / ₈	Wrapped
6620BR	22.57	9224-56620	59 ³ / ₄	¹ / ₂	Wrapped
6621BR	18.96	8580-56618	32 ³ / ₄	¹ / ₂	Wrapped
6622BR	68.35	9240-56622	134 ⁷ / ₃₂	²¹ / ₃₂	Double V
6623BR	15.24	8580-56623	30 ⁵ / ₈	¹ / ₂	Wrapped
6624BR	10.13	8580-56624	30 ¹ / ₂	¹ / ₂	Raw Edge
6625BR	85.85	9288-56625	83	1 ¹ / ₄	Banded
6626BR	48.52	9227-56626	162 ¹ / ₄	¹ / ₂	Wrapped
6627BR	20.82	9227-56627	87 ⁷ / ₈	¹ / ₂	Wrapped
6628BR	51.51	9238-56628	123 ⁷ / ₁₆	¹ / ₂	Raw Edge
6629BR	35.75	9240-56629	80 ³ / ₄	¹ / ₂	Double V
6630BR	23.32	9227-56630	69 ⁷ / ₈	²¹ / ₃₂	Wrapped
6637BR	16.07	9228-56637	79 ¹ / ₄	¹⁷ / ₃₂	Wrapped
6638BR	22.78	9224-56638	96 ³ / ₄	¹⁷ / ₃₂	Wrapped
6639BR	21.19	9224-56639	52 ¹ / ₄	¹⁷ / ₃₂	Wrapped
6640BR	31.54	8510-16640	80 ¹ / ₄	¹⁷ / ₃₂	Wrapped
6641BR	21.74	9224-56641	88 ¹ / ₄	¹⁷ / ₃₂	Wrapped
6642BR	23.06	9224-56642	99 ¹ / ₄	¹⁷ / ₃₂	Wrapped
6643BR	28.96	9238-56643	90 ³ / ₄	¹⁷ / ₃₂	Wrapped
6644BR	31.54	9227-56644	76 ³ / ₄	²¹ / ₃₂	Wrapped
6645BR	36.30	9227-56645	88 ⁷ / ₈	²¹ / ₃₂	Wrapped

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





Polyflex® Belts


Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.

Markets/Applications

A partial listing of applications include machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and woodworking machines.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running** and **low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65° F to +180° F (-54° C to +85° C)



Recommended Sheaves

Polyflex Sheaves

Notes

Polyflex Belts are available in 3M, 5M, 7M, and 11M cross sections. Matched sets may have a manufacturing lead time. Contact Customer Service for details.

Product No. Series 8901

Nominal Top Width 1/8"

3M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3M180	\$7.97	8901-0180	7.09
3M185	7.97	8901-0185	7.28
3M190	7.97	8901-0190	7.48
3M195	7.97	8901-0195	7.68
3M200	7.97	8901-0200	7.87
3M206	7.97	8901-0206	8.11
3M212	7.97	8901-0212	8.35
3M218	7.97	8901-0218	8.58
3M224	7.97	8901-0224	8.82
3M230	7.97	8901-0230	9.06
3M236	7.97	8901-0236	9.29
3M243	7.97	8901-0243	9.57
3M250	7.97	8901-0250	9.84
3M258	7.97	8901-0258	10.16
3M265	7.97	8901-0265	10.43
3M272	7.97	8901-0272	10.71
3M280	7.97	8901-0280	11.02
3M290	7.97	8901-0290	11.42
3M300	7.97	8901-0300	11.81
3M307	7.97	8901-0307	12.09
3M315	7.97	8901-0315	12.40
3M325	7.97	8901-0325	12.80
3M335	7.97	8901-0335	13.19
3M345	7.97	8901-0345	13.58
3M355	7.97	8901-0355	13.98
3M365	7.97	8901-0365	14.37

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3M375	\$7.97	8901-0375	14.76
3M387	7.97	8901-0387	15.24
3M400	7.97	8901-0400	15.75
3M412	8.17	8901-0412	16.22
3M425	8.17	8901-0425	16.73
3M437	8.40	8901-0437	17.20
3M450	8.40	8901-0450	17.72
3M462	8.52	8901-0462	18.19
3M475	8.52	8901-0475	18.70
3M487	8.64	8901-0487	19.17
3M500	8.64	8901-0500	19.69
3M515	8.68	8901-0515	20.28
3M530	8.90	8901-0530	20.87
3M545	8.90	8901-0545	21.46
3M560	9.03	8901-0560	22.05
3M580	9.38	8901-0580	22.83
3M600	9.41	8901-0600	23.62
3M615	9.41	8901-0615	24.21
3M630	9.68	8901-0630	24.80
3M650	9.73	8901-0650	25.59
3M670	9.84	8901-0670	26.38
3M690	10.31	8901-0690	27.17
3M710	10.34	8901-0710	27.95
3M730	10.39	8901-0730	28.74
3M750	10.74	8901-0750	29.53

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





Polyflex® Belts

Product No. Series 8902

Nominal Top Width 3/16"

5M

Part No.	Suggested List Price	Product No.	Effective Length (In.)	Part No.	Suggested List Price	Product No.	Effective Length (In.)
5M280	\$11.98	8902-0280	11.02	5M690	\$14.04	8902-0690	27.17
5M290	11.98	8902-0290	11.42	5M710	14.47	8902-0710	27.95
5M300	11.98	8902-0300	11.81	5M730	14.90	8902-0730	28.74
5M307	11.98	8902-0307	12.09	5M750	15.17	8902-0750	29.53
5M315	11.98	8902-0315	12.40	5M775	15.37	8902-0775	30.51
5M325	11.98	8902-0325	12.80	5M800	15.53	8902-0800	31.50
5M335	11.98	8902-0335	13.19	5M825	15.79	8902-0825	32.48
5M345	11.98	8902-0345	13.58	5M850	15.96	8902-0850	33.46
5M355	11.98	8902-0355	13.98	5M875	16.31	8902-0875	34.45
5M365	11.98	8902-0365	14.37	5M900	17.04	8902-0900	35.43
5M375	11.98	8902-0375	14.76	5M925	17.35	8902-0925	36.42
5M387	11.98	8902-0387	15.24	5M950	17.47	8902-0950	37.40
5M400	11.98	8902-0400	15.75	5M975	17.90	8902-0975	38.39
5M412	11.98	8902-0412	16.22	5M1000	18.05	8902-1000	39.37
5M425	11.98	8902-0425	16.73	5M1030	18.28	8902-1030	40.55
5M437	11.98	8902-0437	17.20	5M1060	18.78	8902-1060	41.73
5M450	11.98	8902-0450	17.72	5M1090	19.33	8902-1090	42.91
5M462	11.98	8902-0462	18.19	5M1120	19.85	8902-1120	44.09
5M475	11.98	8902-0475	18.70	5M1150	20.20	8902-1150	45.28
5M487	11.98	8902-0487	19.17	5M1180	20.30	8902-1180	46.46
5M500	11.98	8902-0500	19.69	5M1220	20.90	8902-1220	48.03
5M515	12.10	8902-0515	20.28	5M1250	21.28	8902-1250	49.21
5M530	12.26	8902-0530	20.87	5M1280	21.91	8902-1280	50.39
5M545	12.61	8902-0545	21.46	5M1320	22.37	8902-1320	51.97
5M560	12.68	8902-0560	22.05	5M1360	22.80	8902-1360	53.54
5M580	13.16	8902-0580	22.83	5M1400	23.35	8902-1400	55.12
5M600	13.23	8902-0600	23.62	5M1450	23.97	8902-1450	57.09
5M615	13.31	8902-0615	24.21	5M1500	24.71	8902-1500	59.06
5M630	13.66	8902-0630	24.80	5M1600	26.15	8902-1600	62.99
5M650	13.69	8902-0650	25.59	5M1650	26.88	8902-1650	64.96
5M670	14.01	8902-0670	26.38	5M1850	30.19	8902-1850	72.83

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





Polyflex® Belts

Product No. Series 8903

Nominal Top Width 9/32"

7M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
7M410	\$17.35	8903-0410	16.14
7M500	17.35	8903-0500	19.69
7M515	17.35	8903-0515	20.28
7M530	17.35	8903-0530	20.87
7M545	17.35	8903-0545	21.46
7M560	17.35	8903-0560	22.05
7M580	17.35	8903-0580	22.83
7M600	17.35	8903-0600	23.62
7M615	17.35	8903-0615	24.21
7M630	17.35	8903-0630	24.80
7M650	17.47	8903-0650	25.59
7M670	17.62	8903-0670	26.38
7M690	17.90	8903-0690	27.17
7M710	18.01	8903-0710	27.95
7M730	18.25	8903-0730	28.74
7M750	18.28	8903-0750	29.53
7M775	18.68	8903-0775	30.51
7M800	19.18	8903-0800	31.50
7M825	19.26	8903-0825	32.48
7M850	19.33	8903-0850	33.46
7M875	19.85	8903-0875	34.45
7M900	20.20	8903-0900	35.43
7M925	20.22	8903-0925	36.42
7M950	20.50	8903-0950	37.40
7M975	20.90	8903-0975	38.39
7M1000	20.93	8903-1000	39.37
7M1030	21.28	8903-1030	40.55
7M1060	21.91	8903-1060	41.73

Part No.	Suggested List Price	Product No.	Effective Length (In.)
7M1090	\$22.21	8903-1090	42.91
7M1120	22.45	8903-1120	44.09
7M1150	22.80	8903-1150	45.28
7M1180	23.00	8903-1180	46.46
7M1220	23.62	8903-1220	48.03
7M1250	23.97	8903-1250	49.21
7M1280	24.47	8903-1280	50.39
7M1320	24.81	8903-1320	51.97
7M1360	25.01	8903-1360	53.54
7M1400	25.79	8903-1400	55.12
7M1450	26.15	8903-1450	57.09
7M1500	26.96	8903-1500	59.06
7M1550	27.66	8903-1550	61.02
7M1600	28.24	8903-1600	62.99
7M1650	28.86	8903-1650	64.96
7M1700	29.41	8903-1700	66.93
7M1750	30.11	8903-1750	68.90
7M1800	31.16	8903-1800	70.87
7M1850	31.44	8903-1850	72.83
7M1900	32.37	8903-1900	74.80
7M1950	33.26	8903-1950	76.77
7M2000	33.77	8903-2000	78.74
7M2060	34.94	8903-2060	81.10
7M2120	35.98	8903-2120	83.46
7M2180	37.12	8903-2180	85.83
7M2240	38.09	8903-2240	88.19
7M2300	38.94	8903-2300	90.55

Nominal Top Width 7/16"

Product No. Series 8904

11M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
11M710	\$27.66	8904-0710	27.95
11M730	27.78	8904-0730	28.74
11M750	28.49	8904-0750	29.53
11M775	29.10	8904-0775	30.51
11M800	29.45	8904-0800	31.50
11M825	29.73	8904-0825	32.48
11M850	30.46	8904-0850	33.46
11M875	31.11	8904-0875	34.45
11M900	31.31	8904-0900	35.43
11M925	31.44	8904-0925	36.42
11M950	32.29	8904-0950	37.40
11M975	32.75	8904-0975	38.39
11M1000	33.15	8904-1000	39.37
11M1030	33.58	8904-1030	40.55
11M1060	34.32	8904-1060	41.73
11M1090	34.87	8904-1090	42.91
11M1120	35.52	8904-1120	44.09
11M1150	35.75	8904-1150	45.28
11M1180	36.49	8904-1180	46.46
11M1220	37.15	8904-1220	48.03
11M1250	37.82	8904-1250	49.21

Part No.	Suggested List Price	Product No.	Effective Length (In.)
11M1280	\$38.20	8904-1280	50.39
11M1320	38.90	8904-1320	51.97
11M1360	39.56	8904-1360	53.54
11M1400	40.42	8904-1400	55.12
11M1450	41.17	8904-1450	57.09
11M1500	42.36	8904-1500	59.06
11M1550	43.26	8904-1550	61.02
11M1600	44.47	8904-1600	62.99
11M1650	45.51	8904-1650	64.96
11M1700	46.76	8904-1700	66.93
11M1750	47.93	8904-1750	68.90
11M1800	48.94	8904-1800	70.87
11M1850	50.19	8904-1850	72.83
11M1900	51.12	8904-1900	74.80
11M1950	52.44	8904-1950	76.77
11M2000	53.80	8904-2000	78.74
11M2060	55.01	8904-2060	81.10
11M2120	56.60	8904-2120	83.46
11M2180	58.19	8904-2180	85.83
11M2240	59.64	8904-2240	88.19
11M2300	61.19	8904-2300	90.55

Prices Subject To Change Without Notice



Polyflex® JB® Belts


Joined Band belt construction provides increased belt stability, preventing belts from turning over or from coming off of the drive. Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.

Markets/Applications

Use in place of Polyflex singles on drives requiring joined sets. A partial listing of applications include machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and dough mixers.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running** and **low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65° F to +180° F (-54° C to +85° C)
- **Joined belt construction** provides high stability, preventing belts from turning over or coming off of the drive.



Recommended Sheaves

Polyflex Sheaves

Notes

Polyflex JB belts are available in 3M, 5M, 7M, and 11M cross sections.

The Polyflex JB belt part number is comprised of the number of belt strands, cross section, effective length and the "JB" signifying joined band construction. For example, part number 3/5M1000JB represents 3 strands joined together, 5mm top width for each belt strand, effective length of 1000mm and joined band (JB) construction.

Manufacturing lead times may apply to matched sets and to rib configurations other than those listed. Minimum order quantities do not apply for belt lengths listed. Contact Customer Service for details.

Product No. Series 8911

Nominal Strand Width 1/8"

3M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M175JB	\$20.74	8911-2175	6.74
3/3M175JB	31.10	8911-3175	6.74
2/3M180JB	20.74	8911-2180	6.94
3/3M180JB	31.10	8911-3180	6.94
2/3M185JB	20.74	8911-2185	7.13
3/3M185JB	31.10	8911-3185	7.13
2/3M190JB	20.74	8911-2190	7.33
3/3M190JB	31.10	8911-3190	7.33
2/3M195JB	20.74	8911-2195	7.53
3/3M195JB	31.10	8911-3195	7.53
2/3M200JB	20.74	8911-2200	7.72
3/3M200JB	31.10	8911-3200	7.72
2/3M206JB	20.74	8911-2206	7.96
3/3M206JB	31.10	8911-3206	7.96
2/3M212JB	20.74	8911-2212	8.20
3/3M212JB	31.10	8911-3212	8.20
3/3M218JB	31.10	8911-3218	8.43
2/3M218JB	20.74	8911-2218	8.43
2/3M224JB	20.74	8911-2224	8.67
3/3M224JB	31.10	8911-3224	8.67
2/3M230JB	20.74	8911-2230	8.91
3/3M230JB	31.10	8911-3230	8.91
2/3M236JB	20.74	8911-2236	9.14
3/3M236JB	31.10	8911-3236	9.14
2/3M243JB	20.74	8911-2243	9.42

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/3M243JB	\$31.10	8911-3243	9.42
2/3M250JB	20.74	8911-2250	9.69
3/3M250JB	31.10	8911-3250	9.69
2/3M258JB	20.74	8911-2258	10.01
3/3M258JB	31.10	8911-3258	10.01
2/3M265JB	20.74	8911-2265	10.28
3/3M265JB	31.10	8911-3265	10.28
2/3M272JB	20.74	8911-2272	10.56
3/3M272JB	31.10	8911-3272	10.56
2/3M280JB	20.74	8911-2280	10.87
3/3M280JB	31.10	8911-3280	10.87
2/3M290JB	20.74	8911-2290	11.27
3/3M290JB	31.10	8911-3290	11.27
2/3M300JB	20.74	8911-2300	11.66
3/3M300JB	31.10	8911-3300	11.66
2/3M307JB	20.74	8911-2307	11.94
3/3M307JB	31.10	8911-3307	11.94
2/3M315JB	20.74	8911-2315	12.25
3/3M315JB	31.10	8911-3315	12.25
2/3M325JB	20.74	8911-2325	12.65
3/3M325JB	31.10	8911-3325	12.65
2/3M335JB	20.74	8911-2335	13.04
3/3M335JB	31.10	8911-3335	13.04
2/3M345JB	20.74	8911-2345	13.43
3/3M345JB	31.10	8911-3345	13.43

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice



Polyflex® JB® Belts

Product No. Series 8911 (continued)

3M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M350JB	\$20.74	8911-2350	13.63
3/3M350JB	31.10	8911-3350	13.63
2/3M355JB	20.74	8911-2355	13.83
3/3M355JB	31.10	8911-3355	13.83
2/3M365JB	20.74	8911-2365	14.22
3/3M365JB	31.10	8911-3365	14.22
2/3M375JB	20.74	8911-2375	14.61
3/3M375JB	31.10	8911-3375	14.61
2/3M387JB	20.74	8911-2387	15.09
3/3M387JB	31.10	8911-3387	15.09
2/3M400JB	20.74	8911-2400	15.60
3/3M400JB	31.10	8911-3400	15.60
2/3M412JB	21.25	8911-2412	16.07
3/3M412JB	31.87	8911-3412	16.07
2/3M425JB	21.25	8911-2425	15.68
3/3M425JB	31.87	8911-3425	15.68
2/3M437JB	21.83	8911-2437	17.06
3/3M437JB	32.75	8911-3437	17.06
2/3M450JB	21.83	8911-2450	17.57
3/3M450JB	32.75	8911-3450	17.57
2/3M462JB	22.16	8911-2462	18.04
3/3M462JB	33.24	8911-3462	18.04
2/3M475JB	22.16	8911-2475	18.55
3/3M475JB	33.24	8911-3475	18.55
2/3M487JB	22.46	8911-2487	19.02
3/3M487JB	33.70	8911-3487	19.02
2/3M500JB	22.46	8911-2500	19.54
3/3M500JB	33.70	8911-3500	19.54

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M515JB	\$22.55	8911-2515	20.13
3/3M515JB	33.84	8911-3515	20.13
2/3M530JB	23.14	8911-2530	20.72
3/3M530JB	34.71	8911-3530	20.72
2/3M545JB	23.14	8911-2545	21.31
3/3M545JB	34.71	8911-3545	21.31
2/3M560JB	23.47	8911-2560	21.90
3/3M560JB	35.21	8911-3560	21.90
2/3M580JB	24.39	8911-2580	22.69
3/3M580JB	36.56	8911-3580	22.69
2/3M600JB	24.48	8911-2600	23.47
3/3M600JB	36.72	8911-3600	23.47
2/3M615JB	24.48	8911-2615	24.06
3/3M615JB	36.72	8911-3615	24.06
2/3M630JB	25.18	8911-2630	24.65
3/3M630JB	37.77	8911-3630	24.65
2/3M650JB	25.30	8911-2650	25.44
3/3M650JB	37.94	8911-3650	25.44
2/3M670JB	25.58	8911-2670	26.23
3/3M670JB	38.37	8911-3670	26.23
2/3M690JB	26.82	8911-2690	27.01
3/3M690JB	40.23	8911-3690	27.01
2/3M710JB	26.89	8911-2710	27.80
3/3M710JB	40.33	8911-3710	27.80
2/3M730JB	27.00	8911-2730	28.59
3/3M730JB	40.51	8911-3730	28.59
2/3M750JB	27.92	8911-2750	29.38
3/3M750JB	41.88	8911-3750	29.38

Product No. Series 8912

Nominal Strand Width 3/16"



5M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/5M280JB	\$31.16	8912-2280	11.02
3/5M280JB	46.75	8912-3280	11.02
4/5M280JB	62.32	8912-4280	11.02
5/5M280JB	77.90	8912-5280	11.02
2/5M290JB	31.16	8912-2290	11.42
3/5M290JB	46.75	8912-3290	11.42
4/5M290JB	62.32	8912-4290	11.42
5/5M290JB	77.90	8912-5290	11.42
2/5M300JB	31.16	8912-2300	11.81
3/5M300JB	46.75	8912-3300	11.81
4/5M300JB	62.32	8912-4300	11.81
5/5M300JB	77.90	8912-5300	11.81
2/5M307JB	31.16	8912-2307	12.09
3/5M307JB	46.75	8912-3307	12.09
4/5M307JB	62.32	8912-4307	12.09
5/5M307JB	77.90	8912-5307	12.09
2/5M315JB	31.16	8912-2315	12.40
3/5M315JB	46.75	8912-3315	12.40
4/5M315JB	62.32	8912-4315	12.40
5/5M315JB	77.90	8912-5315	12.40
2/5M325JB	31.16	8912-2325	12.80
3/5M325JB	46.75	8912-3325	12.80
4/5M325JB	62.32	8912-4325	12.80
5/5M325JB	77.90	8912-5325	12.80
2/5M335JB	31.16	8912-2335	13.19

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/5M335JB	\$46.75	8912-3335	13.19
4/5M335JB	62.32	8912-4335	13.19
5/5M335JB	77.90	8912-5335	13.19
2/5M345JB	31.16	8912-2345	13.58
3/5M345JB	46.75	8912-3345	13.58
4/5M345JB	62.32	8912-4345	13.58
5/5M345JB	77.90	8912-5345	13.58
2/5M355JB	31.16	8912-2355	13.98
3/5M355JB	46.75	8912-3355	13.98
4/5M355JB	62.32	8912-4355	13.98
5/5M355JB	77.90	8912-5355	13.98
2/5M365JB	31.16	8912-2365	14.37
3/5M365JB	46.75	8912-3365	14.37
4/5M365JB	62.32	8912-4365	14.37
5/5M365JB	77.90	8912-5365	14.37
2/5M375JB	31.16	8912-2375	14.76
3/5M375JB	46.75	8912-3375	14.76
4/5M375JB	62.32	8912-4375	14.76
5/5M375JB	77.90	8912-5375	14.76
2/5M387JB	31.16	8912-2387	15.24
3/5M387JB	46.75	8912-3387	15.24
4/5M387JB	62.32	8912-4387	15.24
5/5M387JB	77.90	8912-5387	15.24
2/5M400JB	31.16	8912-2400	15.75
3/5M400JB	46.75	8912-3400	15.75

Prices Subject To Change Without Notice





Polyflex® JB® Belts

Product No. Series 8912 (continued)

5M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M400JB	\$62.32	8912-4400	15.75
5/5M400JB	77.90	8912-5400	15.75
2/5M412JB	31.16	8912-2412	16.22
3/5M412JB	46.75	8912-3412	16.22
4/5M412JB	62.32	8912-4412	16.22
5/5M412JB	77.90	8912-5412	16.22
2/5M425JB	31.16	8912-2425	16.73
3/5M425JB	46.75	8912-3425	16.73
4/5M425JB	62.32	8912-4425	16.73
5/5M425JB	77.90	8912-5425	16.73
2/5M437JB	31.16	8912-2437	17.20
3/5M437JB	46.75	8912-3437	17.20
4/5M437JB	62.32	8912-4437	17.20
5/5M437JB	77.90	8912-5437	17.20
2/5M450JB	31.16	8912-2450	17.72
3/5M450JB	46.75	8912-3450	17.72
4/5M450JB	62.32	8912-4450	17.72
5/5M450JB	77.90	8912-5450	17.72
2/5M462JB	31.16	8912-2462	18.19
3/5M462JB	46.75	8912-3462	18.19
4/5M462JB	62.32	8912-4462	18.19
5/5M462JB	77.90	8912-5462	18.19
2/5M475JB	31.16	8912-2475	18.70
3/5M475JB	46.75	8912-3475	18.70
4/5M475JB	62.32	8912-4475	18.70
5/5M475JB	77.90	8912-5475	18.70
2/5M487JB	31.16	8912-2487	19.17
3/5M487JB	46.75	8912-3487	19.17
4/5M487JB	62.32	8912-4487	19.17
5/5M487JB	77.90	8912-5487	19.17
2/5M500JB	31.16	8912-2500	19.69
3/5M500JB	46.75	8912-3500	19.69
4/5M500JB	62.32	8912-4500	19.69
5/5M500JB	77.90	8912-5500	19.69
2/5M515JB	31.46	8912-2515	20.28
3/5M515JB	47.20	8912-3515	20.28
4/5M515JB	62.91	8912-4515	20.28
5/5M515JB	78.65	8912-5515	20.28
2/5M530JB	31.86	8912-2530	20.87
3/5M530JB	47.80	8912-3530	20.87
4/5M530JB	63.72	8912-4530	20.87
5/5M530JB	79.66	8912-5530	20.87
2/5M545JB	32.78	8912-2545	21.46
3/5M545JB	49.17	8912-3545	21.46
4/5M545JB	65.56	8912-4545	21.46
5/5M545JB	81.95	8912-5545	21.46
2/5M560JB	32.98	8912-2560	22.05
3/5M560JB	49.46	8912-3560	22.05
4/5M560JB	65.95	8912-4560	22.05
5/5M560JB	82.44	8912-5560	22.05
2/5M580JB	34.19	8912-2580	22.83
3/5M580JB	51.29	8912-3580	22.83
4/5M580JB	68.38	8912-4580	22.83
5/5M580JB	85.48	8912-5580	22.83
2/5M600JB	34.39	8912-2600	23.62
3/5M600JB	51.59	8912-3600	23.62
4/5M600JB	68.78	8912-4600	23.62
5/5M600JB	85.98	8912-5600	23.62
2/5M615JB	34.59	8912-2615	24.21
3/5M615JB	51.89	8912-3615	24.21

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M615JB	\$69.17	8912-4615	24.21
5/5M615JB	86.47	8912-5615	24.21
2/5M630JB	35.50	8912-2630	24.80
3/5M630JB	53.25	8912-3630	24.80
4/5M630JB	70.99	8912-4630	24.80
5/5M630JB	88.75	8912-5630	24.80
2/5M650JB	35.60	8912-2650	25.59
3/5M650JB	53.40	8912-3650	25.59
4/5M650JB	71.19	8912-4650	25.59
5/5M650JB	88.99	8912-5650	25.59
2/5M670JB	36.41	8912-2670	26.38
3/5M670JB	54.61	8912-3670	26.38
4/5M670JB	72.83	8912-4670	26.38
5/5M670JB	91.03	8912-5670	26.38
2/5M690JB	36.51	8912-2690	27.17
3/5M690JB	54.77	8912-3690	27.17
4/5M690JB	73.03	8912-4690	27.17
5/5M690JB	91.28	8912-5690	27.17
2/5M710JB	37.62	8912-2710	27.95
3/5M710JB	56.43	8912-3710	27.95
4/5M710JB	75.24	8912-4710	27.95
5/5M710JB	94.05	8912-5710	27.95
2/5M730JB	38.75	8912-2730	28.74
3/5M730JB	58.13	8912-3730	28.74
4/5M730JB	77.49	8912-4730	28.74
5/5M730JB	96.88	8912-5730	28.74
2/5M750JB	39.45	8912-2750	29.53
3/5M750JB	59.18	8912-3750	29.53
4/5M750JB	78.89	8912-4750	29.53
5/5M750JB	98.63	8912-5750	29.53
2/5M775JB	39.96	8912-2775	30.51
3/5M775JB	59.94	8912-3775	30.51
4/5M775JB	79.92	8912-4775	30.51
5/5M775JB	99.90	8912-5775	30.51
2/5M800JB	40.37	8912-2800	31.50
3/5M800JB	60.54	8912-3800	31.50
4/5M800JB	80.73	8912-4800	31.50
5/5M800JB	100.91	8912-5800	31.50
2/5M825JB	41.07	8912-2825	32.48
3/5M825JB	61.60	8912-3825	32.48
4/5M825JB	82.13	8912-4825	32.48
5/5M825JB	102.66	8912-5825	32.48
2/5M850JB	41.47	8912-2850	33.46
3/5M850JB	62.22	8912-3850	33.46
4/5M850JB	82.94	8912-4850	33.46
5/5M850JB	103.69	8912-5850	33.46
2/5M875JB	42.38	8912-2875	34.45
3/5M875JB	63.58	8912-3875	34.45
4/5M875JB	84.76	8912-4875	34.45
5/5M875JB	105.96	8912-5875	34.45
2/5M900JB	44.32	8912-2900	35.43
3/5M900JB	66.47	8912-3900	35.43
4/5M900JB	88.63	8912-4900	35.43
5/5M900JB	110.79	8912-5900	35.43
2/5M925JB	45.11	8912-2925	36.42
3/5M925JB	67.66	8912-3925	36.42
4/5M925JB	90.22	8912-4925	36.42
5/5M925JB	112.77	8912-5925	36.42
2/5M950JB	45.42	8912-2950	37.40
3/5M950JB	68.14	8912-3950	37.40

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





Polyflex® JB® Belts

Product No. Series 8912 (continued)

5M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M950JB	\$90.85	8912-4950	37.40
5/5M950JB	113.56	8912-5950	37.40
2/5M975JB	46.53	8912-2975	38.39
3/5M975JB	69.80	8912-3975	38.39
4/5M975JB	93.06	8912-4975	38.39
5/5M975JB	116.33	8912-5975	38.39
2/5M1000JB	46.94	8912-2100	39.37
3/5M1000JB	70.42	8912-3100	39.37
4/5M1000JB	93.89	8912-4100	39.37
5/5M1000JB	117.36	8912-5100	39.37
2/5M1030JB	47.55	8912-2103	40.55
3/5M1030JB	71.32	8912-3103	40.55
4/5M1030JB	95.09	8912-4103	40.55
5/5M1030JB	118.86	8912-5103	40.55
2/5M1060JB	48.86	8912-2106	41.73
3/5M1060JB	73.30	8912-3106	41.73
4/5M1060JB	97.72	8912-4106	41.73
5/5M1060JB	122.16	8912-5106	41.73
2/5M1090JB	50.27	8912-2109	42.91
3/5M1090JB	75.40	8912-3109	42.91
4/5M1090JB	100.53	8912-4109	42.91
5/5M1090JB	125.67	8912-5109	42.91
2/5M1120JB	51.59	8912-2112	44.09
3/5M1120JB	77.37	8912-3112	44.09
4/5M1120JB	103.18	8912-4112	44.09
5/5M1120JB	128.96	8912-5112	44.09
2/5M1150JB	52.50	8912-2115	45.28
3/5M1150JB	78.75	8912-3115	45.28
4/5M1150JB	104.99	8912-4115	45.28
5/5M1150JB	131.25	8912-5115	45.28
2/5M1180JB	52.79	8912-2118	46.46
3/5M1180JB	79.19	8912-3118	46.46
4/5M1180JB	105.59	8912-4118	46.46

Part No.	Suggested List Price	Product No.	Effective Length (In.)
5/5M1180JB	\$131.99	8912-5118	46.46
2/5M1220JB	54.31	8912-2122	48.03
3/5M1220JB	81.46	8912-3122	48.03
4/5M1220JB	108.61	8912-4122	48.03
5/5M1220JB	135.77	8912-5122	48.03
2/5M1250JB	55.31	8912-2125	49.21
3/5M1250JB	82.98	8912-3125	49.21
4/5M1250JB	110.63	8912-4125	49.21
5/5M1250JB	138.29	8912-5125	49.21
2/5M1280JB	56.95	8912-2128	50.39
3/5M1280JB	85.44	8912-3128	50.39
4/5M1280JB	113.90	8912-4128	50.39
5/5M1280JB	142.39	8912-5128	50.39
2/5M1320JB	58.16	8912-2132	51.97
3/5M1320JB	87.25	8912-3132	51.97
4/5M1320JB	116.32	8912-4132	51.97
5/5M1320JB	145.4	8912-5132	51.97
2/5M1360JB	59.27	8912-2136	53.54
3/5M1360JB	88.90	8912-3136	53.54
4/5M1360JB	118.55	8912-4136	53.54
5/5M1360JB	148.18	8912-5136	53.54
2/5M1400JB	60.69	8912-2140	55.12
3/5M1400JB	91.04	8912-3140	55.12
4/5M1400JB	121.37	8912-4140	55.12
5/5M1400JB	151.72	8912-5140	55.12
2/5M1450JB	62.30	8912-2145	57.09
3/5M1450JB	93.45	8912-3145	57.09
4/5M1450JB	124.60	8912-4145	57.09
5/5M1450JB	155.75	8912-5145	57.09
2/5M1500JB	64.23	8912-2150	59.06
3/5M1500JB	96.35	8912-3150	59.06
4/5M1500JB	128.47	8912-4150	59.06
5/5M1500JB	160.59	8912-5150	59.06

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





Polyflex® JB® Belts

Product No. Series 8913

Nominal Strand Width 9/32"



7M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M500JB	\$45.11	8913-2500	19.30
3/7M500JB	67.66	8913-3500	19.30
4/7M500JB	90.22	8913-4500	19.30
5/7M500JB	112.77	8913-5500	19.30
2/7M515JB	45.11	8913-2515	19.90
3/7M515JB	67.66	8913-3515	19.90
4/7M515JB	90.22	8913-4515	19.90
5/7M515JB	112.77	8913-5515	19.90
2/7M530JB	45.11	8913-2530	20.50
3/7M530JB	67.66	8913-3530	20.50
4/7M530JB	90.22	8913-4530	20.50
5/7M530JB	112.77	8913-5530	20.50
2/7M545JB	45.11	8913-2545	21.10
3/7M545JB	67.66	8913-3545	21.10
4/7M545JB	90.22	8913-4545	21.10
5/7M545JB	112.77	8913-5545	21.10
2/7M560JB	45.11	8913-2560	21.60
3/7M560JB	67.66	8913-3560	21.60
4/7M560JB	90.22	8913-4560	21.60
5/7M560JB	112.77	8913-5560	21.60
2/7M580JB	45.11	8913-2580	22.40
3/7M580JB	67.66	8913-3580	22.40
4/7M580JB	90.22	8913-4580	22.40
5/7M580JB	112.77	8913-5580	22.40
2/7M600JB	45.11	8913-2600	23.20
3/7M600JB	67.66	8913-3600	23.20
4/7M600JB	90.22	8913-4600	23.20
5/7M600JB	112.77	8913-5600	23.20
2/7M615JB	45.11	8913-2615	23.80
3/7M615JB	67.66	8913-3615	23.80
4/7M615JB	90.22	8913-4615	23.80
5/7M615JB	112.77	8913-5615	23.80
2/7M630JB	45.11	8913-2630	24.40
3/7M630JB	67.66	8913-3630	24.40
4/7M630JB	90.22	8913-4630	24.40
5/7M630JB	112.77	8913-5630	24.40
2/7M650JB	45.42	8913-2650	25.20
3/7M650JB	68.14	8913-3650	25.20
4/7M650JB	90.85	8913-4650	25.20
5/7M650JB	113.56	8913-5650	25.20
2/7M670JB	45.83	8913-2670	26.00
3/7M670JB	68.74	8913-3670	26.00
4/7M670JB	91.66	8913-4670	26.00
5/7M670JB	114.57	8913-5670	26.00
2/7M690JB	46.53	8913-2690	26.80
3/7M690JB	69.80	8913-3690	26.80
4/7M690JB	93.06	8913-4690	26.80
5/7M690JB	116.33	8913-5690	26.80
2/7M710JB	46.85	8913-2710	27.70
3/7M710JB	70.26	8913-3710	27.70
4/7M710JB	93.69	8913-4710	27.70
5/7M710JB	117.11	8913-5710	27.70
2/7M730JB	47.45	8913-2730	28.50
3/7M730JB	71.17	8913-3730	28.50
4/7M730JB	94.90	8913-4730	28.50
5/7M730JB	118.62	8913-5730	28.50
2/7M750JB	47.55	8913-2750	29.30
3/7M750JB	71.32	8913-3750	29.30
4/7M750JB	95.09	8913-4750	29.30
5/7M750JB	118.86	8913-5750	29.30

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M775JB	\$48.56	8913-2775	30.30
3/7M775JB	72.83	8913-3775	30.30
4/7M775JB	97.11	8913-4775	30.30
5/7M775JB	121.38	8913-5775	30.30
2/7M800JB	49.87	8913-2800	31.20
3/7M800JB	74.81	8913-3800	31.20
4/7M800JB	99.74	8913-4800	31.20
5/7M800JB	124.68	8913-5800	31.20
2/7M825JB	50.07	8913-2825	32.20
3/7M825JB	75.11	8913-3825	32.20
4/7M825JB	100.13	8913-4825	32.20
5/7M825JB	125.17	8913-5825	32.20
2/7M850JB	50.27	8913-2850	33.20
3/7M850JB	75.40	8913-3850	33.20
4/7M850JB	100.53	8913-4850	33.20
5/7M850JB	125.67	8913-5850	33.20
2/7M875JB	51.59	8913-2875	34.20
3/7M875JB	77.37	8913-3875	34.20
4/7M875JB	103.18	8913-4875	34.20
5/7M875JB	128.96	8913-5875	34.20
2/7M900JB	52.50	8913-2900	35.20
3/7M900JB	78.75	8913-3900	35.20
4/7M900JB	104.99	8913-4900	35.20
5/7M900JB	131.25	8913-5900	35.20
2/7M925JB	52.60	8913-2925	36.20
3/7M925JB	78.89	8913-3925	36.20
4/7M925JB	105.19	8913-4925	36.20
5/7M925JB	131.49	8913-5925	36.20
2/7M950JB	53.30	8913-2950	37.20
3/7M950JB	79.95	8913-3950	37.20
4/7M950JB	106.60	8913-4950	37.20
5/7M950JB	133.25	8913-5950	37.20
2/7M975JB	54.31	8913-2975	38.10
3/7M975JB	81.46	8913-3975	38.10
4/7M975JB	108.61	8913-4975	38.10
5/7M975JB	135.77	8913-5975	38.10
2/7M1000JB	54.43	8913-2100	39.10
3/7M1000JB	81.65	8913-3100	39.10
4/7M1000JB	108.86	8913-4100	39.10
5/7M1000JB	136.08	8913-5100	39.10
2/7M1030JB	55.31	8913-2103	40.30
3/7M1030JB	82.98	8913-3103	40.30
4/7M1030JB	110.63	8913-4103	40.30
5/7M1030JB	138.29	8913-5103	40.30
2/7M1060JB	56.95	8913-2106	41.50
3/7M1060JB	85.44	8913-3106	41.50
4/7M1060JB	113.90	8913-4106	41.50
5/7M1060JB	142.39	8913-5106	41.50
2/7M1090JB	57.75	8913-2109	42.70
3/7M1090JB	86.63	8913-3109	42.70
4/7M1090JB	115.51	8913-4109	42.70
5/7M1090JB	144.39	8913-5109	42.70
2/7M1120JB	58.36	8913-2112	43.80
3/7M1120JB	87.54	8913-3112	43.80
4/7M1120JB	116.71	8913-4112	43.80
5/7M1120JB	145.90	8913-5112	43.80
2/7M1150JB	59.27	8913-2115	45.00
3/7M1150JB	88.90	8913-3115	45.00
4/7M1150JB	118.55	8913-4115	45.00
5/7M1150JB	148.18	8913-5115	45.00

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





Polyflex® JB® Belts

Product No. Series 8913 (continued)

7M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M1180JB	\$59.78	8913-2118	46.20
3/7M1180JB	89.67	8913-3118	46.20
4/7M1180JB	119.56	8913-4118	46.20
5/7M1180JB	149.45	8913-5118	46.20
2/7M1220JB	61.39	8913-2122	47.80
3/7M1220JB	92.09	8913-3122	47.80
4/7M1220JB	122.78	8913-4122	47.80
5/7M1220JB	153.48	8913-5122	47.80
2/7M1250JB	62.30	8913-2125	49.00
3/7M1250JB	93.45	8913-3125	49.00
4/7M1250JB	124.60	8913-4125	49.00
5/7M1250JB	155.75	8913-5125	49.00
2/7M1280JB	63.63	8913-2128	50.10
3/7M1280JB	95.45	8913-3128	50.10
4/7M1280JB	127.26	8913-4128	50.10
5/7M1280JB	159.08	8913-5128	50.10
2/7M1320JB	64.54	8913-2132	51.70
3/7M1320JB	96.81	8913-3132	51.70
4/7M1320JB	129.08	8913-4132	51.70
5/7M1320JB	161.35	8913-5132	51.70
2/7M1360JB	65.04	8913-2136	53.30
3/7M1360JB	97.57	8913-3136	53.30
4/7M1360JB	130.09	8913-4136	53.30
5/7M1360JB	162.61	8913-5136	53.30
2/7M1400JB	67.07	8913-2140	54.90
3/7M1400JB	100.60	8913-3140	54.90
4/7M1400JB	134.14	8913-4140	54.90
5/7M1400JB	167.67	8913-5140	54.90
2/7M1450JB	67.97	8913-2145	56.80
3/7M1450JB	101.95	8913-3145	56.80
4/7M1450JB	135.94	8913-4145	56.80
5/7M1450JB	169.92	8913-5145	56.80
2/7M1500JB	70.11	8913-2150	58.80
3/7M1500JB	105.17	8913-3150	58.80
4/7M1500JB	140.22	8913-4150	58.80
5/7M1500JB	175.28	8913-5150	58.80
2/7M1550JB	71.91	8913-2155	60.80
3/7M1550JB	107.87	8913-3155	60.80
4/7M1550JB	143.82	8913-4155	60.80
5/7M1550JB	179.78	8913-5155	60.80
2/7M1600JB	73.43	8913-2160	62.70
3/7M1600JB	110.15	8913-3160	62.70
4/7M1600JB	146.86	8913-4160	62.70
5/7M1600JB	183.58	8913-5160	62.70
2/7M1650JB	75.05	8913-2165	64.70
3/7M1650JB	112.58	8913-3165	64.70
4/7M1650JB	150.10	8913-4165	64.70
5/7M1650JB	187.63	8913-5165	64.70

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M1700JB	\$76.46	8913-2170	66.70
3/7M1700JB	114.70	8913-3170	66.70
4/7M1700JB	152.93	8913-4170	66.70
5/7M1700JB	191.16	8913-5170	66.70
2/7M1750JB	78.29	8913-2175	68.60
3/7M1750JB	117.43	8913-3175	68.60
4/7M1750JB	156.58	8913-4175	68.60
5/7M1750JB	195.72	8913-5175	68.60
2/7M1800JB	81.01	8913-2180	70.60
3/7M1800JB	121.52	8913-3180	70.60
4/7M1800JB	162.02	8913-4180	70.60
5/7M1800JB	202.53	8913-5180	70.60
2/7M1850JB	81.74	8913-2185	72.60
3/7M1850JB	122.61	8913-3185	72.60
4/7M1850JB	163.48	8913-4185	72.60
5/7M1850JB	204.35	8913-5185	72.60
2/7M1900JB	84.15	8913-2190	74.60
3/7M1900JB	126.23	8913-3190	74.60
4/7M1900JB	168.30	8913-4190	74.60
5/7M1900JB	210.38	8913-5190	74.60
2/7M1950JB	86.48	8913-2195	76.50
3/7M1950JB	129.72	8913-3195	76.50
4/7M1950JB	172.96	8913-4195	76.50
5/7M1950JB	216.20	8913-5195	76.50
2/7M2000JB	87.80	8913-2200	78.50
3/7M2000JB	131.72	8913-3200	78.50
4/7M2000JB	175.61	8913-4200	78.50
5/7M2000JB	219.52	8913-5200	78.50
2/7M2060JB	91.23	8913-2206	80.90
3/7M2060JB	136.85	8913-3206	80.90
4/7M2060JB	182.47	8913-4206	80.90
5/7M2060JB	228.09	8913-5206	80.90
2/7M2120JB	93.56	8913-2212	83.20
3/7M2120JB	140.35	8913-3212	83.20
4/7M2120JB	187.13	8913-4212	83.20
5/7M2120JB	233.91	8913-5212	83.20
2/7M2180JB	96.51	8913-2218	85.60
3/7M2180JB	144.76	8913-3218	85.60
4/7M2180JB	193.01	8913-4218	85.60
5/7M2180JB	241.26	8913-5218	85.60
2/7M2240JB	99.03	8913-2224	87.90
3/7M2240JB	148.55	8913-3224	87.90
4/7M2240JB	198.05	8913-4224	87.90
5/7M2240JB	247.57	8913-5224	87.90
2/7M2300JB	101.25	8913-2230	90.30
3/7M2300JB	151.88	8913-3230	90.30
4/7M2300JB	202.50	8913-4230	90.30
5/7M2300JB	253.13	8913-5230	90.30

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice





Polyflex® JB® Belts

Product No. Series 8914

Nominal Strand Width 7/16"



11M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/11M710JB	\$71.91	8914-2710	27.30
3/11M710JB	107.87	8914-3710	27.30
2/11M730JB	72.23	8914-2730	28.00
3/11M730JB	108.34	8914-3730	28.00
2/11M750JB	74.03	8914-2750	28.80
3/11M750JB	111.04	8914-3750	28.80
2/11M775JB	75.66	8914-2775	29.80
3/11M775JB	113.50	8914-3775	29.80
2/11M800JB	76.56	8914-2800	30.80
3/11M800JB	114.85	8914-3800	30.80
2/11M825JB	77.27	8914-2825	31.80
3/11M825JB	115.92	8914-3825	31.80
2/11M850JB	79.21	8914-2850	32.80
3/11M850JB	118.82	8914-3850	32.80
2/11M875JB	80.92	8914-2875	33.70
3/11M875JB	121.38	8914-3875	33.70
2/11M900JB	81.43	8914-2900	34.70
3/11M900JB	122.14	8914-3900	34.70
2/11M925JB	81.74	8914-2925	35.70
3/11M925JB	122.61	8914-3925	35.70
2/11M950JB	83.95	8914-2950	36.70
3/11M950JB	125.93	8914-3950	36.70
2/11M975JB	85.16	8914-2975	37.70
3/11M975JB	127.74	8914-3975	37.70
2/11M1000JB	86.18	8914-2100	38.70
3/11M1000JB	129.26	8914-3100	38.70
2/11M1030JB	87.30	8914-2103	39.90
3/11M1030JB	130.96	8914-3103	39.90
2/11M1060JB	89.20	8914-2106	41.00
3/11M1060JB	133.80	8914-3106	41.00
2/11M1090JB	90.63	8914-2109	42.20
3/11M1090JB	135.95	8914-3109	42.20
2/11M1120JB	92.35	8914-2112	43.40
3/11M1120JB	138.54	8914-3112	43.40
2/11M1150JB	92.96	8914-2115	44.60
3/11M1150JB	139.44	8914-3115	44.60
2/11M1180JB	94.89	8914-2118	45.80
3/11M1180JB	142.34	8914-3118	45.80
2/11M1220JB	96.59	8914-2122	47.30
3/11M1220JB	144.89	8914-3122	47.30
2/11M1250JB	98.31	8914-2125	48.50
3/11M1250JB	147.47	8914-3125	48.50

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/11M1280JB	\$99.33	8914-2128	49.70
3/11M1280JB	149.01	8914-3128	49.70
2/11M1320JB	101.15	8914-2132	51.30
3/11M1320JB	151.72	8914-3132	51.30
2/11M1360JB	102.86	8914-2136	52.80
3/11M1360JB	154.29	8914-3136	52.80
2/11M1400JB	105.10	8914-2140	54.40
3/11M1400JB	157.65	8914-3140	54.40
2/11M1450JB	107.02	8914-2145	56.40
3/11M1450JB	160.54	8914-3145	56.40
2/11M1500JB	110.15	8914-2150	58.40
3/11M1500JB	165.23	8914-3150	58.40
2/11M1550JB	112.46	8914-2155	60.30
3/11M1550JB	168.71	8914-3155	60.30
2/11M1600JB	115.62	8914-2160	62.30
3/11M1600JB	173.43	8914-3160	62.30
2/11M1650JB	118.34	8914-2165	64.30
3/11M1650JB	177.52	8914-3165	64.30
2/11M1700JB	121.57	8914-2170	66.20
3/11M1700JB	182.36	8914-3170	66.20
2/11M1750JB	124.61	8914-2175	68.20
3/11M1750JB	186.90	8914-3175	68.20
2/11M1800JB	127.25	8914-2180	70.20
3/11M1800JB	190.87	8914-3180	70.20
2/11M1850JB	130.47	8914-2185	72.10
3/11M1850JB	195.72	8914-3185	72.10
2/11M1900JB	132.91	8914-2190	74.10
3/11M1900JB	199.38	8914-3190	74.10
2/11M1950JB	136.35	8914-2195	76.10
3/11M1950JB	204.53	8914-3195	76.10
2/11M2000JB	139.90	8914-2200	78.00
3/11M2000JB	209.85	8914-3200	78.00
2/11M2060JB	143.03	8914-2206	80.40
3/11M2060JB	214.54	8914-3206	80.40
2/11M2120JB	147.17	8914-2212	82.80
3/11M2120JB	220.75	8914-3212	82.80
2/11M2180JB	151.32	8914-2218	85.10
3/11M2180JB	226.98	8914-3218	85.10
2/11M2240JB	155.07	8914-2224	87.50
3/11M2240JB	232.61	8914-3224	87.50
2/11M2300JB	159.11	8914-2230	89.90
3/11M2300JB	238.67	8914-3230	89.90

LIGHT DUTY V-BELTS

Prices Subject To Change Without Notice

